

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1754	(709/246).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 14:16
L2	1054	I1 and @ad < "20011128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 14:30
L3	120	I2 and ((hash\$3 or code) with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 14:31
L4	34	I3 and (tunnel\$3 or encapsulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:04
L5	1966	(709/245).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 14:30
L6	1173	I5 and @ad < "20011128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:05
L7	230	I6 and (tunnel\$3 or encapsulat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 14:30
L8	75	I7 and ((hash\$3 or code) with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 14:33
L9	126	I7 and ((hash\$3 or code or identifier) with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 14:36

## EAST Search History

L10	7	I9 and (fragment near offset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:03
L11	0	I9 and ((set\$4 or chang\$3 or indicat\$3) with (error near correction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:04
L12	0	(tunnel\$3 or encapsulat\$3 or ipsec) same ((set\$4 or chang\$3 or indicat\$3) with (error near correction)) same ((hash\$3 or code or identifier) with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:05
L13	128	(tunnel\$3 or encapsulat\$3 or ipsec) and ((set\$4 or chang\$3 or indicat\$3) with (error near correction)) and ((hash\$3 or code or identifier) with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:50
L14	57	I13 and @ad < "20011128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:22
L15	563	((modif\$4 or alter\$3 or chang\$3) with (header\$1)) same (tunnel\$3 or encapsulat\$3 or ipsec)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:39
L16	101	"I115" and @ad < "20011128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:22
L17	246	I15 and @ad < "20011128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:27
L18	0	((fragment near offset) and (error near correction)) and I17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:23
L19	10	((fragment near offset)) and I17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:27

## EAST Search History

L20	59	((fragment near offset) with (hash\$3 or code or identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:49
L21	24	l20 and @ad < "20011128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:48
L22	563	(713/151-152).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 15:38
L23	333	l22 and @ad < "20011128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:38
L24	0	((tunnel\$3 or encapsulat\$3 or ipsec) and ((set\$4 or chang\$3 or indicat\$3) with (error near correction)) and ((hash\$3 or code or identifier) with address)) and l23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:39
L25	9	((modif\$4 or alter\$3 or chang\$3) with (header\$1)) same (tunnel\$3 or encapsulat\$3 or ipsec)) and l23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:50
L26	0	"cisco.as"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:48
L27	6975	(cisco near technology)".as"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:48
L28	4145	l27 and @ad < "20011128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:51

## EAST Search History

L29	46	I15 and I27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:49
L30	0	((fragment near offset) with (hash\$3 or code or identifier)) and I29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:51
L31	1267	(tunnel\$3 or encapsulat\$3 or ipsec) and I27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:50
L32	46	((modif\$4 or alter\$3 or chang\$3) with (header\$1)) same (tunnel\$3 or encapsulat\$3 or ipsec)) and I27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:51
L33	0	((fragment near offset) with (hash\$3 or code or identifier)) and I27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:51
L34	28	I32 and @ad < "20011128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 15:51